






PART NO.	REV	ECO	DATE	APP
	C	94450	05-14-07	TLM




METRIC


PART NO.	CONTACTS	"A"	"B"	"C"	"D"	"E"
A28400-009	9	9.525	6.858	4.064	4.318	2.540
A28400-021	21	13.335	10.668	7.874	8.128	6.350
A28400-025	25	14.605	11.938	9.144	9.398	7.620
A28400-037	37	18.415	15.748	12.954	13.208	11.430
A28400-065	65	27.305	24.638	21.844	22.098	20.320




SUGGESTED HOLE PATTERN  
(FOR 9, 21, 25, 37 & 65 POSITIONS)  
(COMPONENT SIDE)




(25 POSITION)  
NOTE PATTERN




(37 POSITION)  
NOTE PATTERN



(65 POSITION)  
NOTE PATTERN



(9 POSITION)  
NOTE PATTERN





(21 POSITION)  
NOTE PATTERN

(SHOWN)

-TOLERANCES-		OMNETICS CONNECTOR CORPORATION		TITLE:		CAGE CODE 61873	
UNLESS OTHERWISE NOTED		DATE		DATE		DWG NO.	
DIMENSIONS IN INCHES		02-09-04		A28400-0XX		SHEET 2 OF 3	
2 PL DEC ± .01	3 PL DEC ± .005	DFTM. PER	DATE	(XX) PIN MALE	SCALE: 4:1	REV	C
4 PL DEC ±	ANGLES ±	CHK'D.	DATE	BI-LOBE CONNECTOR			
M N P O		APP'D.	DATE				


PART NO.	REV	ECO	DATE	APP
	C	94450	05-14-07	TLM




METRIC

PART NO.	CONTACTS	"A"	"B"	"C"	"D"	"E"
A28400-015	15	11.430	8.763	5.969	6.223	4.445
A28400-031	31	16.510	13.843	11.049	11.303	9.525
A28400-051	51	22.860	20.193	17.399	17.653	15.875


(SHOWN)




SUGGESTED HOLE PATTERN  
(FOR 15, 31 & 51 POSITIONS)  
(COMPONENT SIDE)



(31 POSITION)  
NOTE PATTERN



(51 POSITION)  
NOTE PATTERN



(15 POSITION)  
NOTE PATTERN

-TOLERANCES- UNLESS OTHERWISE NOTED DIMENSIONS IN INCHES		<b>OMNETICS CONNECTOR CORPORATION</b>		CAGE CODE <b>61873</b>	
2 PL DEC	± .01	DFTM. PER	DATE	DATE	02-09-04
3 PL DEC	± .005	CHK'D.	DATE		
4 PL DEC	± .0005	APP'D.	DATE		
ANGLES	±	TITLE: (XX) PINEMALE BI-LOBE CONNECTOR		DWG NO. <b>A28400-0XX</b>	
MNPO				SHEET OF	3
				SCALE:	4:1
				REV	C