


## ORDERING GUIDE



<b>1 Series</b>	<b>MMDP</b> Metal Micro-D Pin	<b>MMDS</b> Metal Micro-D Socket
<b>2 Number of Contacts</b>	<b>009</b> <b>015</b> <b>021</b> <b>025</b> <b>031</b>	<b>037</b> <b>051</b> *
<b>3 Termination Type</b>	<b>CO</b> Card Edge Surface Mount	
<b>4 Shell Material &amp; Finish</b>	<b>N</b> Aluminum Shell, Electroless Nickel Plated <b>B</b> Aluminium Shell, Black Anodized	<b>CD</b> Aluminium Shell, Cadmium Plated <b>P</b> Stainless Steel Shell, Passivated
<b>5 Hardware</b>	<b>00</b> None, Ø .092 Hole <b>02</b> Jackscrews, STD Length, Hex (MMDP - STD) <b>04</b> Jackscrews, Long Length, Hex <b>YY</b> Non Standard Hardware	<b>01</b> Fixed Jack-posts (MMDS - STD) <b>03</b> Jackscrews, STD Length, Slotted <b>05</b> Jackscrews, Long Length, Slotted
<b>6 Common Options</b>	<b>PA</b> Panel Mount Rear, O-Ring <b>HT</b> High Temp Epoxy	<b>PB</b> Panel Mount, Rear <b>RH</b> RoHS Compliant
<b>7 Mod Codes</b>	<b>M10</b> Keyed <b>M50</b> Space Grade Micro-D, SPT1	<b>M30</b> Ground Spring <b>M53</b> Space Grade Micro-D, SPT2
<b>8 Special Instructions</b>	<b>YYY</b> Describe anything that is not covered in standard options	