




Metal - Pin - Keyed Break Away - Cabled - Overmold - Inline

KBMP-WC-OM-IS



Part #	Contacts	English (IN)			Metric (MM)		
		A	B	C	A	B	C
A22458-001	5	0.510	0.510	1.660	12.95	12.95	42.16
A22465-001	12	0.550		1.710	13.97		43.43
A22472-001	16	0.600		1.810	15.24		45.97
A22479-001	27	0.670	0.500	1.900	17.02	12.70	48.26
A22548-001	39	0.720		18.29			




**Metal - Socket - Keyed Break Away -
Cabled - Overmold - Inline**
KBMS-WC-OM-IS



Part #	Contacts	English (IN)			Metric (MM)		
		A	B	C	A	B	C
A22455-001	5	0.510	0.650	1.800	12.95	16.51	45.72
A22462-001	12	0.550		1.850	13.97		46.99
A22469-001	16	0.600		1.950	15.24		49.53
A22476-001	27	0.670	0.640	2.040	17.02	16.26	51.82
A22552-001	39	0.720			18.29		





Metal - Pin - Break Away - Wired - Inline - Strain Relief

BAMP-WD-IS-SR



Part #	Contacts	English (IN)		Metric (MM)	
		A	B	A	B
A22304-001	5	0.430	1.900	10.92	48.26
A22311-001	12	0.470		11.94	
A22318-001	16	0.530		13.46	
A22325-001	27	0.610	2.100	15.49	53.34
A22538-001	39	0.650	2.300	16.51	58.42




**Metal - Socket - Break Away -
Wired - Inline - Strain Relief**
BAMS-WD-IS-SR



Part #	Contacts	English (IN)		Metric (MM)	
		A	B	A	B
A22301-001	5	0.430	1.700	10.92	43.18
A22308-001	12	0.460	0.470	11.68	11.94
A22315-001	16	0.530	1.700	13.46	43.18
A22322-001	27	0.610	1.900	15.49	48.26
A22542-001	39	0.650	2.100	16.51	53.34




Metal - Pin - Break Away - Cable - Overmold - Inline - IP68

BAMP-WC-OM-IS-IP68



		English (IN)	Metric (MM)
Part #	Contacts	A	A
A22344-001	5	0.510	12.95
A22342-001	12	0.550	13.97
A22340-001	16	0.600	15.24
A22338-001	27	0.670	17.02
-	39	Contact Omnetics for dimensions	

**Metal - Socket - Break Away -
Cable - Overmold - Inline - IP68**
BAMS-WC-OM-IS-IP68



English (IN) Metric (MM)

Part #	Contacts	A	A
A22343-001	5	0.510	12.95
A22341-001	12	0.550	13.97
A22339-001	16	0.600	15.24
A22337-001	27	0.670	17.02
-	39	0.720	18.29