







**Metal - Pin - Threaded -
Wired - Inline - Strain Relief**
MMCP-WD-IS-SR



Part #	Contacts	English (IN)		Metric (MM)	
		A	B	A	B
A22368-001	5	0.420	1.900	10.67	48.26
A22373-001	12	0.500		12.70	
A22378-001	16	0.560		14.22	
A22383-001	27	0.610	2.100	15.49	53.34
A22486-001	39	0.650	2.300	16.51	58.42




Metal - Socket - Threaded - Wired - Inline - Strain Relief

MMCS-WD-IS-SR






Part #	Contacts	English (IN)		Metric (MM)	
		A	B	A	B
A22372-001	5	0.420	1.900	10.67	48.26
A22377-001	12	0.500		12.70	
A22382-001	16	0.560		14.22	
A22387-001	27	0.610	2.100	15.49	53.34
A22488-001	39	0.680	2.400	17.27	60.96

**Metal - Pin - Threaded -
Cabled - Overmold - Inline
MMCP-WC-OM-IS**



Part #	Contacts	English (IN)		Metric (MM)	
		A	B	A	B
A22336-001	5	0.510	1.740	12.95	44.20
A22334-001	12	0.550	1.790	13.97	45.47
A22332-001	16	0.600	1.890	15.24	48.01
A22330-001	27	0.670	2.080	17.02	52.83
A22487-001	39	0.720		18.29	

**Metal - Socket - Threaded -
Cabled - Overmold - Inline**
MMCS-WC-OM-IS



Part #	Contacts	English (IN)		Metric (MM)	
		A	B	A	B
A22335-001	5	0.510	1.920	12.95	48.77
A22333-001	12	0.550	1.970	13.97	50.04
A22331-001	16	0.600	2.070	15.24	52.58
A22329-001	27	0.670	2.160	17.02	54.86
A22489-001	39	0.720		18.29	