







Metal - Pin - Threaded - Wired - Inline - Strain Relief

MNCP-WD-IS-SR



Part #	Contacts	English (IN)			Metric (MM)		
		A	B	C	A	B	C
A79150-001	6	0.25	1.1	0.025	6.35	27.94	0.64
A79152-001	11	0.28			7.11		
A779154-001	16	0.32	1.3		8.13	33.02	
A79156-001	28	0.37	1.6		9.40	40.64	
A79465-001	39	0.47	1.7	0.030	11.81	43.18	0.76




Metal - Socket - Threaded - Wired - Inline - Strain Relief MNCS-WD-IS-SR



Part #	Contacts	English (IN)				Metric (MM)			
		A	B	C	D	A	B	C	D
A79151-001	6	0.25	0.45	1.1	0.025	6.35	7.11	27.94	0.64
A79153-001	11	0.28		1.3		7.11	7.11		
A79155-001	16	0.33		1.6		8.38	7.11		
A79157-001	28	0.37	0.51	1.6	0.030	9.40	9.45	40.64	0.76
A79156-001	39	0.37				9.40	11.4		

Metal - Pin - Threaded - Cabled - Overmold - Inline - IP68




MNCP-WC-OM-IS-IP68



Part #	Contacts	English (IN)			Metric (MM)		
		A	B	C	A	B	C
A79333-001	6	0.36	1.39	0.025	9.14	35.31	0.64
A79329-001	11	0.39			9.91		
A79325-001	16	0.42	1.47		10.67	37.34	
A79321-001	28	0.46	1.57		11.68	39.88	
A79482-001	39	0.55		0.030	13.97		0.76

Metal - Socket - Threaded - Cabled - Overmold - Inline - IP68

MNCS-WC-OM-IS-IP68



Part #	Contacts	English (IN)			Metric (MM)		
		A	B	C	A	B	C
A79332-001	6	0.36	1.640	0.025	9.14	41.66	0.64
A79328-001	11	0.39			9.91		
A79324-001	16	0.42	1.710		10.67	43.43	
A79320-001	28	0.46	1.820	0.030	11.68	46.23	0.76
A79483-001	39	0.55			13.97		